

## NORMES ET FRAIS TECHNIQUES DES ENCARTS 2022

Quantité minimum pour une opération : 5000 exemplaires

### FRAIS TECHNIQUES

Tarifs au 1000

#### ENCARTS BROCHES National ou sur régions complètes

Central	5,40 €
A cheval	5,40 €
Prépiqué	Nous consulter

#### ENCARTS COLLES SUR UNE PAGE DE PUBLICITE RECTO National ou sur régions complètes

Carte	20,50 €
Echantillon ou booklet	31,60 €

#### ENCARTS POSES sur 4e de couv. et mise s/film sur ABONNES National ou sur depts ou régions complètes

2 pages	13,50 €
Au-delà	13,50 €

#### ENCART VOLANT JETE INTERIEUR sur ex. KIOSQUES National ou sur régions complètes

2, 4 ou 6 pages jeté (entre 2 cahiers en cours de brochage) < 15g	15,00 €
Au delà (dans revue façonnée)	33,00 €

### FRAIS POSTAUX

#### "Tarif Presse" ou Surcoût d'affranchissement (PT2) (coût estimatif)

(le millier d'abonnés x poids)	2,41 €
--------------------------------	--------

#### Tarif Presse+ ou Surtaxe postale (PTT)

Forfait jusqu'à 15 g (le millier d'abonnés)	40,40 €
> à 15g (le millier d'abonnés x poids)	2,68 €

Tout encart sous forme de pli fermé doit avoir la mention suivante : "Peut être ouvert pour contrôle" ou "Envoi non clos"  
Sans cette mention, cet encart sera soumis au tarif "PRESSE+"

Les frais postaux seront facturés sur le poids réel de l'encart et la tarification de l'année de parution.

Tarification postale : <https://cmimedia.fr/specifications>

**NORMES TECHNIQUES****Format du magazine :** 210 x 272 mm (L X H)

DOS PIQUÉ - taqué en tête

**ATTENTION TOUTE FABRICATION EN PLIS ACCORDÉON EST REFUSÉE**GRAMMAGE PAPIER : <https://cmimedia.fr/specifications>**Ce titre est imprimé sur papier PEFC. Nous souhaitons que les encarts soient imprimés sur papier certifié, non controversé (PEFC-FSC)**

QUANTITE A LIVRER : TIRAGE + 2% de passe impératif

NORMES DE CONDITIONNEMENT : <https://cmimedia.fr/specifications>*Merci de nous consulter pour toute autre demande ne répondant pas aux contraintes ci-dessous*

ENCARTS BROCHES	FORMAT (L x H)	
	MINI	MAXI
Central ou à cheval	110 x 145	210 x 272

Attention, vos textes et partie sensible d'image doivent être en retrait de 10 mm

FORMAT MINI : + 5 mm de rogne en tête

FORMAT MAXI : + 5 mm de rogne en tête + 5 mm de rogne en pied et en barbe

*Les encarts 2 pages doivent être fournis pliés avec un rabat technique non imprimé de 110 mm**Les encarts à partir de 8 pages doivent être tenus en tête ou comporter un dépassant de 10 mm sur la partie arrière*

ENCARTS COLLES	FORMAT (L x H)	
	MINI	MAXI
Carte	60 x 80	120 x 150
Echantillon ou booklet	"	"

ZONE DE TOLERANCE : 10 mm dans les deux sens - POIDS MAXI : 25 g - EPAISSEUR MAXI : 2 mm

· Ne pas faire figurer d'hirondelles de placement sur les fichiers de la page pour impression.

· Les échantillons seront soumis à un essai de collage + un test de pression préalables sur 30 exemplaires minimum, au plus tard 6 semaines avant parution.

ZONE DE COLLAGE : voir ci-après

ENCARTS POSES sur 4e de couverture et mise s/film	FORMAT (L x H)	
	MINI	MAXI
2 pages et +	110 x 110	210 x 272

ENCARTS JETES INTERIEUR sur ex. KIOSQUES	FORMAT (L x H)	
	MINI	MAXI
2, 4 ou 6 pages jeté (entre 2 cahiers en cours de brochage) < 15g	110 x 150	150 x 210
Au delà (dans revue façonnée)	110 x 110	170 x 250

*grammage papier : 120 g/m2 au minimum pour un 2 pages***IMPERATIFS TECHNIQUES A RESPECTER POUR TOUTES OPERATIONS D'ENCARTAGE**


- 2 maquettes en blanc réalisées au format et qualité de papier choisis, pour accord technique au plus tard 6 semaines avant parution.
- Envoi d'un PDF du visuel de l'encart ou de l'emplacement du collage pour validation technique au plus tard 5 semaines avant parution.

Aucune contestation ne pourra être prise en considération si ces conditions ne sont pas respectées.


**En raison des impératifs inhérents à l'exécution du façonnage industriel, l'encartage est garanti à hauteur de 97 % du tirage, cette tolérance de 3% est déduite de nos tarifs.****CONTACT TECHNIQUE (ceci n'est pas l'adresse de livraison des exemplaires définitifs)**

CMI MEDIA - IMMEUBLE SEXTANT  
 3 Avenue André Malraux - BUREAU S 350- 92300 LEVALLOIS PERRET  
[encarts@cmimedia.fr](mailto:encarts@cmimedia.fr)

## ZONE DE COLLAGE DES ENCARTS



 ZONE DE COLLAGE

 ZONE DE COLLAGE ECHANTILLONS EPAIS  
(Pas de collage au centre de la page)

- Tolérance de collage : 10 mm dans tous les sens
- Ne pas imprimer de filets de placement sur le visuel recevant le collage
- Si échantillons noir au V°, nous consulter
- 50 ex seront nécessaires pour effectuer des tests

## TECHNICAL SPECIFICATIONS AND COSTS FOR INSERTS 2022

Minimum quantity for an operation: 5000 copies

### TECHNICAL COSTS

Rates per 1000

#### BOUND INSERT on complete regions

Central	<b>5,40 €</b>
Overlapped Insert	<b>5,40 €</b>
Pre-stitched Insert	<b>Consult us</b>

#### INSERT GLUED ONTO A RHP ADVERT on complete regions

Card	<b>20,50 €</b>
Sample or booklet	<b>31,60 €</b>

#### INSERT ON OBC, POLYBAGGED for subscribers on complete regions

2 Pages	<b>13,50 €</b>
More than 2 pages	<b>13,50 €</b>

#### LOOSE INSERT put inside in an unspecified place, for newsstands on complete regions

2, 4 or 6 loose pages (inserted at the time of binding) < 15g	<b>15,00 €</b>
More (inserted in the finished magazine)	<b>33,00 €</b>

### POSTAL COSTS

"Press Rates" or extra posting costs (PT2) (price x per thousand subscribers x weight)	<b>2,41 €</b>
---	---------------

"Press Rates +" or Postal surcharges (PTT)	
Fixed rate up to 15g (price x per thousand subscribers)	<b>40,40 €</b>
> 15g (price x per thousand subscribers x weight)	<b>2,68 €</b>

Every closed fold insert must have the following message : "Peut être ouvert pour contrôle" or "Envoi non clos"  
Without this message, this insert will be subject to the "PRESSE+" rate.

Postal charges will be invoiced depending on the real weight of the insert and the postage fees relative to the publication year.

Postal Charges : <https://cmimedia.fr/specifications>

**Magazine format : 210 x 272 mm (W x H)**

SADDLE STITCHED - jog to the head

**ATTENTION ALL MANUFACTURING FOLDED INTO PLEATS WILL NOT BE ACCEPTED**

PAPER WEIGHT : <https://cmimedia.fr/specifications>

**This magazine is printed on PEFC paper. We would like the inserts to be printed on certified paper, non-controversial ( PEFC-FSC)**

**DELIVERY AMOUNT : PRINT RUN + 2% of waste**

Packaging instructions : <https://cmimedia.fr/specifications>

*Please contact us regarding any other requests that are not answered by the information below*

BOUND INSERT	FORMAT (W x H)	
	MINI	MAXI
Central or Overlapped	110 x 145	210 x 272

Attention, your texts and images should be left no nearer than 10mm from the trim edge

MINIMUM FORMAT: + 5 mm of top bleed

MAXIMUM FORMAT: + 5 mm of top bleed, + 5 mm of bottom bleed and foredge bleed.

*Inserts of 2 pages must be provided with an unprinted technical flap of 110 mm*

*inserts from 8 pages must be submitted with a closed head or with an excess of 10 mm to the back*

GLUED INSERTS	FORMAT (W x H)	
	MINI	MAXI
Card	60 x 80	120 x 150
Sample or Booklet	"	"

ACCEPTED LIMITS : 10 mm in both directions - MAXIMUM WEIGHT : 25 g - MAXIMUM THICKNESS : 2 mm

· Do not include any registration marks (for the insert placement) in the file that will be printed.

· The samples will be subjected to a tip-on test and preliminary pressure-testing on a minimum of 30 samples, no later than 6 weeks before publication.

Gluing Limits, see below

INSERT ON OBC, POLYBAGGED	FORMAT (W x H)	
	MINI	MAXI
2 pages or more	110 x 110	210 x 272

LOOSE INSERT put inside in an unspecified place, for newsstands	FORMAT (W x H)	
	MINI	MAXI
2, 4 or 6 loose pages (inserted at the time of binding) < 15 g	110 x 150	150 x 210
More (inserted in the finished magazine)	110 x 110	170 x 250

*paper weight : 120 g/m2 minimum for an insert of 2 pages*

#### REQUIRED TECHNICAL DOCUMENTS:

· 2 white dummies in the chosen format and quality of paper, for technical approval

· A visual PDF file of the insert or of its positioning must be sent for technical validation no later than 5 weeks before publication.


If these conditions are not met, no contestation will be taken into account.

**Owing to the necessity inherent in the execution of industrial finishing, the inserting is guaranteed to the level of 97% of the Print run, this tolerance of 3% is deducted from our prices.**

**CONTACT (This is not the delivery address for final copies)**

CMI MEDIA - IMMEUBLE SEXTANT  
3 Avenue André Malraux - BUREAU S 350- 92300 LEVALLOIS PERRET  
[encarts@cmimedia.fr](mailto:encarts@cmimedia.fr)

## GLUING ZONE



GLUING ZONE

GLUING ZONE FOR THICK SAMPLE  
(No glued inserts in the center of the page)

- Gluing limits : 10 mm in all directions
- Do not print hairline rules (defining placement) on the final visual.
- If the samples have a black back then please consult us.
- 50 samples are required for performing the tests.